

MODELS AND SPECIFICATIONS


1993 Model Identification

SERIAL NUMBER IDENTIFICATION

The machine serial number may be used as an aid in identifying machine model year. Refer to the first digits in the serial number for proper identification:

FIRST DIGITS	MODEL YEAR
12	1985
13	1986
14	1987
15	1988
16	1989
17	1990
18	1991
19	1992
20	1993

1993 MODEL DESIGNATION



1993 MODEL DESIGNATION NUMBERS (Chassis)

02 - Indy Trail Deluxe
 04 - Indy Sport
 05 - 440, 500 EFI, XLT, RXL (SKS)
 06 - 500 EFI, XLT SP
 07 - Indy Trail, 440, XLT, RXL
 08 - Classic/Classic Touring
 17 - 440 XCR
 20 - WideTrak
 25 - Storm (SKS)
 27 - Storm
 31 - Indy Lite GT/StarLite GT
 34 - Indy Lite Deluxe/StarLite

1993 ENGINE DESIGNATION NUMBERS

27 - EC25PS-07-Single FC
 31 - EC34-2PM-02-Twin FC ES
 33 - EC34-2PM-04-Twin FC
 43 - EC44-3PM-01-Twin FC
 60 - EC45PL-01/02-Twin LC
 61 - EC50PM-01-Twin FC

1993 ENGINE DESIGNATION NUMBERS

64 - EC50PL-04/06-Twin LC
 65 - EC50PL-05-Twin LC ES
 67 - EC58PL-01-Triple LC
 68 - EC65PL-05-Triple LC (EFI)
 70 - EC75PL-01-Triple LC
 74 - EC50PL-07-Twin LC (EFI)

	MODEL NO.	MADE IN U.S.A.	POLARIS			
	SERIAL NO.	THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL AND STATE REQUIREMENTS AND CANADIAN FEDERAL MOTOR VEHICLE STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE.		PATENT NOTICE Mfd. by Polaris Industries L.P. in Roseau, MN under one or more of the following patents: U.S. Patents 3,605,511 3,533,662 3,613,811 3,867,991 3,580,647 3,613,810 3,605,510 4,793,950 3,483,766 3,545,821 3,525,412 5,038,881 Patented Canada 882,491/71 883,694/71 864,394/71 Canadian Rd. 34,573/71 34,572/71 1,227,823/87		
	MFD. DATE:					
	7072133					

These numbers should be referred to in any correspondence regarding warranty, service or replacement parts.

The machine model and serial number identification decal is located on the right front side of the tunnel. The serial number is permanently stamped into the tunnel. The model number is embossed on the decal.

Whenever corresponding about an engine it is important that the engine model and serial numbers be called out. Laser engraved model and serial numbers are located on the crankcase (intake side).

MODELS AND SPECIFICATIONS

1993 Model Identification



	Storm Storm SKS	RXL RXL SKS	XLT XLT SP	XLT SKS
	0932770 0932570	0930768 0930568	0930767 0930667	0930567
Engine Type Engine Model Number	LC Triple EC75PL-01	LC Triple EC65PL-05	LC Triple EC58PL-01	LC Triple EC58PL-01
Displacement (cc)	744	648	579	579
Bore x Stroke (mm)	69.72 x 65	67.72 x 60	64 x 60	64 x 60
Carburetion/Throttle Body	3 Mikuni VM38SS Slide	3 Throttle Body 46mm	3 Mikuni VM34SS Slide	3 Mikuni VM34SS Slide
Oil Injected	Standard	Standard	Standard	Standard
Ignition	CDI	CDI	CDI	CDI
Alternator Output	12V 170W	12V 180W	12V 170W	12V 170W
Length (in./cm.)	106.25/269.9 113/287 SKS	106.25/269.9 113/287 SKS	106.25/269.9	113/287
Width (in./cm.)	43.12/109.5 41.62/105.7 SKS	43.12/109.5 41.62/105.7 SKS	43.12/109.5	41.62/105.7
Height (in./cm.)	38.5/97.7 44/111.7 SKS	38.5/97.7 44/111.7 SKS	44/111.7 38.5/97.7	44/111.7
Ski Stance (in./cm.)	38/96.4 36.5/92.7 SKS	38/96.4 36.5/92.7 SKS	38/96.4	36.5/92.7
Track Width (in./cm.)	15/38.1	15/38.1	15/38.1	15/38.1
Track Length Overall (in./cm.)	121/307.1 133.5/338.9 SKS	121/307.1 133.5/338.9 SKS	121/307.1	133.5/338.9
Fuel Capacity (U.S. gal./Imp. gal./liters)	10.7/8.9/40.5	11.9/9.9/45	11.9/9.9/45	11.9/9.9/45
Recommended Fuel	90 Octane Min.	88 Octane Min.	88 Octane Min.	88 Octane Min.
Front Suspension	Parallel Link Trailing Arm IFS	Parallel Link Trailing Arm IFS	Parallel Link Trailing Arm IFS	Parallel Link Trailing Arm IFS
Brake Type	Liquid Cooled Hydraulic Disc	Liquid Cooled Hydraulic Disc	Hydraulic Disc	Hydraulic Disc
Storage	Rear of Seat	Rear of Seat	Rear of Seat	Rear of Seat
Speedometer	Standard	Standard	Standard	Standard
Tachometer	Standard	Standard	Standard	Standard
Trip Odometer	Standard	Standard	Standard	Standard
Accessory Lights	Oil/Brake/Temp/Acc /Hi Beam	Oil/Brake/Temp/Acc /Hi Beam	Oil/Brake/Temp/ Acc/Hi Beam	Oil/Brake/Temp/ Acc/Hi Beam
Electric Start	N/A	N/A	TBA	TBA
Handwarmers/Thumbwarmer	Std/Std	Std/N/A	Std/Std	Std/Std
Two-Up Seat	N/A	Option	Option	Option
Backrest	Option	Option	Option	Option
Storage Rack	Option	Option	Option	Option
Tow Hitch	Option	Option	Option	Option

MODELS AND SPECIFICATIONS

1993 Model Identification



	500 EFI 500 SKS EFI	Classic	Classic Touring	WideTrak
	0930674 0930574	0930864	0930865	0932064
Engine Type	LC Twin	LC Twin	LC Twin	LC Twin
Engine Model Number	EC50PL-07	EC50PL-04	EC50PL-05	EC50PL-06
Displacement (cc)	488	488	488	488
Bore x Stroke (mm)	72 x 60	72 x 60	72 x 60	72 x 60
Carburetion/Throttle Body	2 Throttle Body 46 mm	2 Mikuni VM38SS Slide	2 Mikuni VM38SS Slide	2 Mikuni VM34SS Slide
Oil Injected	Standard	Standard	Standard	Standard
Ignition	CDI	CDI	CDI	CDI
Alternator Output	12V 200W	12V 200W	12V 200W	12V 200W
Length (in./cm.)	106.25/269.9 113/287 SKS	106.25/269.9	113/287	128/324.9
Width (in./cm.)	43.12/109.5 41.62/105.7 SKS	43.12/109.5	41.62/105.7	41.62/105.7
Height (in./cm.)	44/111.7	44/111.7	44/111.7	49/124.4
Ski Stance (in./cm.)	38/96.4 36.5/92.7 SKS	38/96.4	36.5/92.7	36.5/92.7
Track Width (in./cm.)	15/38.1	15/38.1	15/38.1	20/50.8
Track Length Overall (in./cm.)	121/307.1 133.5/338.9 SKS	121/307.1	133.5/338.9	156/396
Fuel Capacity (U.S. gal./Imp. gal./liters)	11.9/9.9/45	11.9/9.9/45	11.9/9.9/45	10/8.3/38
Recommended Fuel	88 Octane Min.	88 Octane Min.	88 Octane Min.	88 Octane Min.
Front Suspension	Parallel Link Trailing Arm IFS	Parallel Link Trailing Arm IFS	Parallel Link Trailing Arm IFS	Parallel Link Trailing Arm IFS
Brake Type	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Mechanical Disc
Storage	Rear of Seat	Rear of Seat	Rear of Seat	Under Seat Storage Rack
Speedometer	Standard	Standard	Standard	Standard
Tachometer	Standard	Standard	Standard	Standard
Trip Odometer	Standard	Standard	Standard	Standard
Accessory Lights	Oil/Brake/Temp/ Acc/Batt/Hi Beam	Oil/Brake/Temp/ Acc/Hi Beam	Oil/Brake/Temp/ Acc/Hi Beam	Oil/Temp/Rev/ Hi Beam
Electric Start	Option	Option	Standard	Option
Handwarmers/Thumbwarmer	Std/Std	Std/Std	Std/Std	Std/Option
Two-Up Seat	N/A	Option	Standard	Standard
Backrest	Option	Option	Standard	Standard
Storage Rack	Option	Option	Option	Standard
Tow Hitch	Option	Option	Option	Standard