

	WideTrak LX	WideTrak GT	600 XCR	440 XCR
	0942064	0942061	0941667	0941760
Engine Type Engine Model Number	LC Twin EC50PL-06	Fan Twin EC50PM-03	LC Twin EC58PL-02	LC Twin EC45PL-01
Displacement (cc)	488	488	596	432
Bore x Stroke (mm)	72 x 60	72 x 60	65 x 60	67.72 x 60
Carburetion/Throttle Body	2 Mikuni VM34SS Slide	2 Mikuni VM34SS Slide	3 Mikuni VM38SS Slide	2 Mikuni VM38SS Slide
Oil Injected	Standard	Standard	Standard	Standard
Ignition	CDI	CDI	CDI	CDI
Alternator Output	12V 200W	12V 200W	12V 170W	12V 200W
Length (in./cm.)	128/325.1	121.5/308.6	106.25/269.9	106.25/269.9
Width (in./cm.)	43.5/110.5	43.5/110.5	45.5/115.6	45.5/115.6
Height (in./cm.)	49/124.5	49/124.5	38.5/97.8	38.5/97.8
Ski Stance (in./cm.)	38/96.5	38/96.5	41/104.1	40/101.6
Track Width (in./cm.)	20/50.8	20/50.8	15/38.1	15/38.1
Track Length Overall (in./cm.)	156/396.2	141/358.1	121/307.3	121/307.3
Fuel Capacity (U.S. gas./Imp. gal./liters)	10/8.3/38	10/8.3/37.8	10.7/8.9/40.5	10.7/8.9/40.5
Recommended Fuel	87 Octane Min.	87 Octane Min.	91 Octane Min.	87 Octane Min.
Front Suspension	Parallel Link Trailing Arm IFS	Parallel Link Trailing Arm IFS	Parallel Link Trailing Arm IFS	Parallel Link Trailing Arm IFS
Brake Type	Mechanical Disc	Mechanical Disc	Liquid Cooled Hydraulic Disc	Liquid Cooled Hydraulic Disc
Storage	Under Seat Storage Rack	Under Seat	Rear of Seat	Rear of Seat
Speedometer	Standard	Standard	Standard	Standard
Tachometer	Standard	Option	Standard	Standard
Electric Fuel Gauge	N/A	N/A	Option	Option
Accessory Lights	Oil/Temp Rev High Beam	Rev/Acc Oil High Beam	Oil/Brake Temp/Acc High Beam	Oil/Brake Temp/Acc High Beam
Electric Start	Option	Option	Option	Option
Handwarmers/Thumbwarmer	Single Heat/Std	Single Heat/Std	Hi-Lo/Std	Hi-Lo/Std
Two-Up Seat	Standard	Standard	N/A	Option
Backrest	Standard	Standard	N/A	Option
Storage Rack	Standard	Standard	N/A	Option
Tow Hitch	Standard	Standard	N/A	Option



	440 XCR SP	440 Indy 440 Indy SKS	Trail Deluxe	Trail
	0941660	0942760 0942560	0940262	0940761
Engine Type Engine Model Number	LC Twin EC45PL-03	LC Twin EC45PL-02	Fan Twin EC50PM-02	Fan Twin EC50PM-01
Displacement (cc)	439	432	488	488
Bore x Stroke (mm)	68.25 x 60	67.72 x 60	72 x 60	72 x 60
Carburetion/Throttle Body	2 Mikuni VM38SS Slide	2 Mikuni VM34SS Slide	2 Mikuni VM34SS Slide	2 Mikuni VM34SS Slide
Oil Injected	Standard	Standard	Standard	Standard
Ignition	CDI	CDI	CDI	CDI
Alternator Output	12V 200W	12V 200W	12V 200W	12V 200W
Length (in./cm.)	106.25/269.9	107/271.8 113/287 SKS	113/287	106.25/269.9
Width (in./cm.)	45.5/115.6	45.5/115.6 43.5/110.5 SKS	45.5/115.6	45.5/115.6
Height (in./cm.)	38.5/97.8	46/116.8	45/114.3	44/111.8
Ski Stance (in./cm.)	41/104.1	40/101.6 38/96.5 SKS	40/101.6	40/101.6
Track Width (in./cm.)	15/38.1	15/38.1	15/38.1	15/38.1
Track Length Overall (in./cm.)	121/307.3	121/307.3 133.5/339.1 SKS	133.5/339.1	121/307.3
Fuel Capacity (U.S. gas./Imp. gal./liters)	10.7/8.9/40.5	10.7/8.9/40.5	10.7/8.9/40.5	10.7/8.9/40.5
Recommended Fuel	91 Octane Min.	87 Octane Min.	87 Octane Min.	87 Octane Min.
Front Suspension	Parallel Link Trailing Arm IFS	Parallel Link Trailing Arm IFS	Parallel Link Trailing Arm IFS	Parallel Link Trailing Arm IFS
Brake Type	Liquid Cooled Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc
Storage	Rear of Seat	Rear of Seat	Rear of Seat	Rear of Seat
Speedometer	Standard	Standard	Standard	Standard
Tachometer	Standard	Standard	Option	Standard
Electric Fuel Gauge	Option	Option	Option	Option
Accessory Lights	Oil/Brake Temp/Acc High Beam	Oil/Brake Temp/Acc High Beam	Oil/Brake Acc High Beam	Oil/Brake Acc High Beam
Electric Start	Option	Option	Standard	Option
Handwarmers/Thumbwarmer	Hi-Lo/Std	Hi-Lo/Std	Single Heat/Std	Single Heat/Std
Two-Up Seat	N/A	Option	Standard	Option
Backrest	N/A	Option	Standard	Standard
Storage Rack	N/A	Option	Option	Option
Tow Hitch	N/A	Option	Option	Option



	Super Sport	Sport Sport SKS	Indy Lite Deluxe	Indy Lite GT
	0940743	0940443 0940243	0943431	0943133
Engine Type Engine Model Number	Fan Twin EC44-3PM-01	Fan Twin EC44-3PM-01	Fan Twin EC34-2PM-02	Fan Twin EC34-2PM-04
Displacement (cc)	432	432	339	339
Bore x Stroke (mm)	67.72 x 60	67.72 x 60	62.3 x 55.6	62.3 x 55.6
Carburetion/Throttle Body	2 Mikuni VM34SS Slide	2 Mikuni VM34SS Slide	2 Mikuni VM30SS Slide	2 Mikuni VM30SS Slide
Oil Injected	Standard	Standard	Standard	Standard
Ignition	CDI	CDI	CDI	CDI
Alternator Output	12V 200W	12V 200W	12V 150W	12V 150W
Length (in./cm.)	106.25/269.9	106.25/269.9 113/287 SKS	105/266.7	115/292.1
Width (in./cm.)	45.5/115.6	43.5/110.5	42.5/108	42.5/108
Height (in./cm.)	38.5/97.8	44/111.8 45/114.3 SKS	44/111.8	48/121.9
Ski Stance (in./cm.)	40/101.6	38/96.5	37/94	37/94
Track Width (in./cm.)	15/38.1	15/38.1	15/38.1	15/38.1
Track Length Overall (in./cm.)	121/307.3	121/307.3 133.5/339.1 SKS	121/307.3	133.5/339.1
Fuel Capacity (U.S. gas./Imp. gal./liters)	10.7/8.9/40.5	10.7/8.9/40.5	8/6.7/30.3	8/6.7/30.3
Recommended Fuel	87 Octane Min.	87 Octane Min.	87 Octane Min.	87 Octane Min.
Front Suspension	Parallel Link Trailing Arm IFS	Parallel Link Trailing Arm IFS	Parallel Link Trailing Arm IFS	Parallel Link Trailing Arm IFS
Brake Type	Hydraulic Disc	Hydraulic Disc	Mechanical Disc	Mechanical Disc
Storage	Rear of Seat	Rear of Seat	Rear of Seat Top of Hood	Rear of Seat Top of Hood
Speedometer	Standard	Standard	Standard	Standard
Tachometer	Standard	Option	N/A	N/A
Electric Fuel Gauge	Option	Option	N/A	N/A
Accessory Lights	Oil/Brake Acc High Beam	Oil/Brake Acc High Beam	Oil/Acc	Oil/Acc
Electric Start	Option	Option	Standard	Option
Handwarmers/Thumbwarmer	Single Heat/Std	Single Heat Std	Single Heat/Std	Single Heat/Std
Two-Up Seat	Option	Option Standard SKS	N/A	Standard
Backrest	Standard	Option Standard SKS	N/A	Standard
Storage Rack	Option	Option	Option	Standard
Tow Hitch	Option	Option	Option	Standard