

SUSPENSIONS General Specifications

1993 Models

Model	Model Number	Suspension Type	Track Type	Track Width	Track Length (Overall)	Track Length on Ground	Wheels Bogies () Idler ()	IFS Spg. Rate (lbs./in.)	Rear Spg. Wire Diameter	Hi-Fax Width
StarLite	0933427	Ext. Aluminum Type XV	Block	15"	121"	44"	6 3	105	.393	1 ¼
StarLite GT	0933127	Ext. Aluminum Type XVI	Inline Block	15"	133.5"	48"	6 3	105	.393	1 ¼
Lite	0933433	Ext. Aluminum Type XV	Block	15"	121"	44"	6 3	105	.393	1 ¼
Lite Deluxe	0933431	Ext. Aluminum Type XV	Block	15"	121"	44"	6 3	105	.393	1 ¼
Lite GT	0933133	Ext. Aluminum Type XVI	Inline Block	15"	133.5"	48"	6 3	105	.393	1 ¼
Sport	0930443	Ext. Aluminum Type XV	Block	15"	121"	44"	6 3	105	.393	1 ¼
Trail	0930761	ITS Type I	Block	15"	121"	46"	6 3	105	.406	1 ¼
Trail Deluxe	0930243	ITS Type II	Wiper	15"	133.5"	50"	6 4	105	.421	1 ¼
440	0930760	ITS Type I	Block	15"	121"	46"	6 3	105	.421	1 ¼
440 SKS	0930560	ITS Type II	Wiper	15"	133.5"	50"	6 3	105	.421	1 ¼
XCR	0931760	Ext. Aluminum Type XXII	Block	15"	121"	44"	6 4	120	.421	1 ¼
WideTrak GT	X932061	Ext. Aluminum Type XXI	Deep Wiper	Acc.	141"	51"	6 4	150	.468	1 ¼
WideTrak	0932064	Ext. Aluminum Type XIX	Block	20"	156"	59"	6 6	105	.421	1 ¼
Classic	0930864	ITS Type I	Block	15"	121"	46"	6 3	105	.421	1 ¼
Classic Touring	0930865	ITS Type II	Wiper	15"	133.5"	50"	6 3	105	.421	1 ¼
500 EFI	0930674	ITS Type I	Block	15"	121"	46"	6 3	105	.421	1 ¼
500 EFI SKS	0930574	ITS Type II	Wiper	15"	133.5"	50"	6 3	105	.421	1 ¼
XLT	0930767	ITS Type I	Block	15"	121"	46"	6 3	105	.421	1 ¼
XLT SKS	0930667	ITS Type II	Inline Block	15"	133.5"	50"	6 3	105	.421	1 ¼
XLT Special	0930567	ITS Type I	Block	15"	121"	46"	6 4	120	.421	1 ¼
RXL	0930768	ITS Type I	Block	15"	121"	46"	6 4	105	.421	1 ¼
RXL SKS	0930568	ITS Type II	Inline Block	15"	133.5"	50"	6 4	105	.421	1 ¼
Storm	0932770	ITS Type I	Block	15"	121"	46"	10 4	160	.421	1 ½
Storm SKS	0932570	ITS Type II	Deep Wiper	15"	133.5"	50"	10 4	160	.421	1 ½

NOTE: All models using ITS suspensions may use 1 1/2" (3.8 cm) wide hi-fax if track guide clips are installed. All models have 15" wide track except WideTrak and WideTrak GT, which are 20".

SUSPENSIONS

General Specifications

1994 Models

Model	Model Number	Suspension Type	Track Type	Wear Strips	Track Length (Overall)	Track Length on Ground	Wheels/Bogies/Idler	Center Spring Dia./Length	Rear Spg. Wire Diameter	Hi-Fax Width
StarLite	0943427	Ext. Aluminum Type XV	Block	N/A	121"	44"	6 3	.312/6.88	.393	1 ¼
StarLite GT	0943127	Ext. Aluminum Type XVI	Inline Block	N/A	133.5"	48"	6 3	.312/6.88	.393	1 ¼
Lite	0943433	Ext. Aluminum Type XV	Block	N/A	121"	44"	6 3	.312/6.88	.393	1 ¼
Lite Deluxe	0943431	Ext. Aluminum Type XV	Block	N/A	121"	44"	6 3	.312/6.88	.393	1 ¼
Lite GT	0943133	Ext. Aluminum Type XVI	Inline Block	N/A	133.5"	48"	6 3	.312/6.88	.393	1 ¼
Sport	0940443	Ext. Aluminum Type XV	Block	Acc.	121"	44"	6 3	.312/6.88	.393	1 ¼
Sport SKS Rental	0940443	ITS Type I	Wiper	Acc.	133.5"	50"	6 3	.312/7.50	.421	1 ¼
Super Sport	0940743	XC-100	Block	Acc.	121"	44"	6 3	.312/7.50	.421	1 ¼
Trail	0940761	ITS Type I	Block	Acc.	121"	46"	6 3	.312/7.50	.406	1 ¼
Trail Deluxe	0940262	ITS Type II	Wiper	Acc.	133.5"	50"	6 3	.312/7.50	.421	1 ¼
440	0942760	ITS Type I	Block	Acc.	121"	46"	6 3	.312/7.50	.421	1 ¼
440 SKS	0942560	ITS Type II	Deep Wiper	Acc.	133.5"	50"	6 3	.312/7.50	.421	1 ¼
XCR	0941760	XC-100	Block	Std.	121"	44"	6 4	.331/7.50	.421	1 ¼
440 XCR SP	0941760	XC-101	Block	Std.	121"	44"	6 4	.312/.750	.421	1 ½
600 XCR	0941667	XC-101	Block	Std.	121"	44"	6 4	.312/.750	.421	1 ½
WideTrak GT	0942061	Ext. Aluminum Type XXI	Deep Wiper	Acc.	141"	51"	6 4	.312/7.50	.468	1 ¼
WideTrak LX	0942064	Ext. Aluminum Type XXIII	Block	Acc.	156"	59"	6 4	.312/7.50	.468	1 ¼
Classic	0942865	ITS Type I	Block	Acc.	121"	46"	6 3	.312/7.50	.421	1 ¼
Classic Touring	0942875	ITS Type II	Wiper	Acc.	133.5"	50"	6 3	.312/7.50	.421	1 ¼
500 EFI	0942774	ITS Type I	Block	Acc.	121"	46"	6 3	.312/7.50	.421	1 ¼
500 EFI SKS	0942574	ITS Type II	Deep Wiper	Acc.	133.5"	50"	6 3	.312/7.50	.421	1 ¼
XLT	0940767	XC-100	Block	Std.	121"	44"	6 3	.312/7.50	.421	1 ¼
XLT SKS	0940567	XC-100	Deep Wiper	Acc.	133.5"	50"	6 3	.312/7.50	.421	1 ¼
XLT Special	0940667	XC-100	Block	Std.	121"	44"	6 4	.331/7.50	.421	1 ¼
XLT Special Xtra	0946767	Xtra	Deep Wiper	Std.	121"	43.5"	6 4	.312/.750	.421	1 ½
RXL	0940768	XC-100	Block	Std.	121"	44"	6 4	.312/7.50	.421	1 ¼
RXL Touring	0940869	ITS Type II	Wiper	Std.	133.5"	50"	6 4	.331/7.50	.421	1 ¼
Storm	0940782	XC-100	Deep Wiper	Std.	121"	46"	10 4	.312/7.50	.421	1 ½
Storm SKS	0940582	XC-100	Deep Wiper	Std.	133.5"	50"	10 4	.312/7.50	.421	1 ½

NOTE: All models using ITS suspensions may use 1 1/2" (3.8 cm) wide hi-fax if track guide clips are installed. All models have 15" wide track except WideTrak LX and WideTrak GT, which are 20".

SUSPENSIONS General Specifications

1995 Models

Model	Model Number	Suspension Type	Track Type	Wear Strips	Track Length (Overall)	Track Length on Ground	Wheels Bogies/ Idler	Hi-Fax Width
StarLite	0953427	Ext. Aluminum Type XV	Block	N/A	121"	44"	6 3	1 ¼
Lite	0953433	Ext. Aluminum Type XV	Block	N/A	121"	44"	6 3	1 ¼
Lite Deluxe	0953431	Ext. Aluminum Type XV	Block	N/A	121"	44"	6 3	1 ¼
Lite GT	0953133	Ext. Aluminum Type XVI	Wiper	N/A	133.5"	48"	6 3	1 ¼
Sport	0950443	Ext. Aluminum Type XV	Block	Acc.	121"	44"	6 3	1 ¼
Sport Touring	0950243	XC-100	Wiper	Acc.	133.5"	50"	6 3	1 ¼
Super Sport	0950743	XC-100	Block	Acc.	121"	44"	6 3	1 ¼
Trail	0952761	XC-100	Block	Acc.	121"	46"	6 3	1 ¼
Trail Deluxe	0952262	XC-100	Wiper	Acc.	133.5"	50"	6 3	1 ¼
440 LC	0952760	XC-100	Block	Acc.	121"	46"	6 3	1 ¼
440 SKS	0952560	XC-100	Deep Wiper	Acc.	133.5"	50"	6 3	1 ¼
440 XCR	0951660	XC-101	Block	Std.	121"	44"	6 4	1 ½
600 XCR	0951676	XC-101	Block	Std.	121"	44"	6 4	1 ½
WideTrak GT	0952061	Ext. Aluminum Type XXI	Deep Wiper	N/A	141"	51"	6 4	1 ¼
WideTrak LX	0952064	Ext. Aluminum Type XXIII	Block	N/A	156"	59"	6 4	1 ¼
Classic	0952865	XC-100	Block	Acc.	121"	46"	6 3	1 ¼
500 Carb	0952764	XC-100	Block	Acc.	121"	46"	6 3	1 ¼
500 EFI	0952774	XC-100	Block	Acc.	121"	46"	6 3	1 ¼
500 EFI SKS	0952574	XC-100	Deep Wiper	Acc.	133.5"	50"	6 3	1 ¼
500 EFI SKS PT	0952874	XC-100	Paddle	N/A	133.5"	50"	6 3	1 ¼
XLT	0950756	XC-100	Block	Std.	121"	44"	6 3	1 ¼
XLT SKS	0950556	XC-100	Deep Wiper	Acc.	133.5"	50"	6 3	1 ¼
XLT SKS PT	0950956	XC-100	Paddle	N/A	133.5"	50"	6 3	1 ¼
XLT Touring	0952857	XC-100	Wiper	Acc.	133.5"	50"	6 3	1 ¼
XLT SP	0956756	Xtra	Deep Wiper	Std.	121"	43.5"	6 4	1 ½
RXL	0956768	Xtra	Deep Wiper	Std.	121"	43.5"	6 4	1 ½
RXL Touring	0950869	XC-100	Wiper	Std.	133.5"	50"	6 4	1 ¼
Storm	0950782	XC-100	Deep Wiper	Std.	121"	46"	10 4	1 ½
Storm SKS	0950582	XC-100	Deep Wiper	Std.	133.5"	50"	10 4	1 ½
Storm SKS PT	0950982	XC-100	Paddle	N/A	133.5"	50"	10 4	1 ½

NOTE: All models using ITS suspensions may use 1 1/2" (3.8 cm) wide hi-fax if track guide clips are installed. All models have 15" wide track except WideTrak LX and WideTrak GT, which are 20".